





THIRTEEN



EXTERIOR



EXTERIOR DECKS







MAIN SALON & DINING





SKYLOUNGE & FOYER





MASTER SUITE







GUEST ACCOMMODATIONS



M/Y THIRTEEN Specifications

MECHANICAL:

Air Conditioning:	Cruiseair 30 ton
Watermaker:	(2) Village Marine 2000 gal per day
Stabilizers:	Quantum Zero-Speed Stabilizers
Bow Thruster:	American Bow Thruster 100hp
Hydraulic System:	Steelhead Marine Ltd.
Deck Jacuzzi:	8 person on Sundeck
Elevator Lift:	Accessing all four decks
Anchor Windlass:	(2) Maxwell SY 22
Passerelle:	Sanguineti 20' reach
Davits/Crane:	Steelhead Marine CT-4500 Steelhead Marine SM-2000
Tenders:	19' Nautica 13.5' Nautica
Entertainment System:	Interior Audio Inc.
Security System:	Christensen Shipyards Ltd.
Monitoring System:	Christensen Shipyards Ltd.

NAVIGATION EQUIPMENT

COMMUNICATIONS:

- VHF - (3) Icom M602
- SSB - Furuno FS 1570 (GMDSS)
- Horn - Kallenberg Model T-1
- Hailer - Raymarine 430
- Cell Phone - (2) Individual lines through PABX
- Worldwide high speed internet - SeaTel DAC 2200 Model 4006
- PABX - Panasonic
- Worldwide Satellite Phone - KVH TracPhone 252 w/Voice & Fax
- Navtex - Furuno NX700A Receiver w/printer

- Inmarsat-C - Furuno FELCOM15 Standard - C Satcom w/ GMDSS
- Furuno FM8800 VHF/DSC watch receiver - w/ GMDSS
- Furuno DSC60 MF-HF Watch Receiver
- UAIS - Display Unit - Furuno FA150 AIS system
- SART - ACR 2807 Transponder w/ GMDSS

RADAR:

- Furuno FAR2117BB X-Band Radar Black Box, 12 KW, with 6.5' array & automatic acquisition and tracking of 30 targets on radar
- Furuno FAR2137 S-Band Radar, 30KW with 10' array

SONAR/SOUNDERS:

- (2) Raymarine ST290 Multi-function displays
- (4) Raymarine ST60 Multi-function displays
- Furuno FCV1200BB Black Box Color Video Sounder, 50/200 KHz
- Furuno CH250BB Searchlight Sonar Black Box version

DGPS:

- (2) Northstar 6000i GPS/Plotter w/ 6.4" Color Display, w/ WASS
- Dedicated Navigation Computer
- Nobeltec Admiral Navigation Software

AUTO PILOT:

- Anschutz 2405 Gyrostar II complete w/ IMO wet gyrocompass

COMPUTER:

- Computer/Navigation System - Nauticomp Marine Computer

MONITORS:

- 18" Color TFT VGA/DVI Monitor, 1280 x 1024
- (2) 250 Nit Pilothouse - for Radars

SPEED LOG:

- (2) Raymarine ST290 Multi-function graphic displays
- (4) Raymarine ST60 Multi-function displays

WEATHER:

- Furuno NX700A Navtex Receiver w/ printer

WIND SYSTEM:


- B & G Wind PCB & Mast Unit

SAFETY & SECURITY:

- Equipped with complete State of the Art systems for safety at sea including: (4) 16 Person life rafts, GPIRB, SART, SOLAS life jackets, life rings, fire fighting equipment and smoke detectors, surveillance cameras throughout, monitored external doors, visual signals, extensive medical kit.

Particulars believed to be correct, however not guaranteed & subject to change.





M/Y THIRTEEN Specifications

Builder:	Christensen Shipyards Ltd.
Year Built:	2006
Naval Architecture:	Christensen Shipyards Ltd.
Exterior Styling:	Christensen Shipyards Ltd.
Interior Decor:	Kenneth Alpert Design Group
Classification/Certification:	ABS A1- AMS & MCA
Number of Staterooms:	6
Total Guests (Sleeping):	14
Cabin Configuration:	4 Kings, 2 Strms w/ Full, Twin & Pullman
Total Crew:	Up to 10 in 5 Cabins
LOA:	157' (47.8m)
Beam:	29' 6" (9m)
Draft:	8' 3" (2.5m) full load
Max. Displacement:	820,000 full load
Gross Tons:	499
Max. Speed:	17 knots
Cruising Speed:	12 knots
Range:	4300 nautical miles
Hull Material:	Composite
Superstructure Material:	Composite
Deck Material:	Teak
Fuel Capacity:	14,500 gal
Fresh Water Capacity:	2,000 gal
Engines:	MTU 12V 4000 Series
Reduction Box:	ZF 4650 - A
Generators:	(2) 99kw Northern Lights (1) 65kw Northern Lights
Power Converter:	Atlas w/ Auto-Start & Auto Paralleling